

超微量工業安全實驗室

Ultra Trace and Industrial Safety Hygiene Laboratory

測試報告

報告編號: PUG22800542 日期: 2022年09月01日 頁數:1 of 3

迪摩凱斯國際股份有限公司

新竹市牛埔路229號

以下測試之樣品係由申請廠商所提供及確認:

產品名稱: MATRIFLEX

申請廠商: 迪摩凱斯國際股份有限公司

申請廠商地址: 新竹市牛埔路229號

樣品包裝: 請參考報告末頁樣品照片

數量: 共12片 樣品保存方式: 室溫

產品型號: ---產品批號: MF01

製造/國內負責廠商: ---

製造日期: 2022 有效期限: ---

收樣日期: 2022年08月11日

测試日期: 2022年08月11日~2022年09月01日

委託測試項目: 抗菌測試。

测試方法: 本測試參考ISO 22196: 2011 Measurement of antibacterial activity on plastics and other non-

porous surfaces之檢驗方法。

测试结果:

-請見下頁
AIWAN

SGS

除新智 經理
台灣檢驗科技股份有限
報告簽署人

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sos.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sos.com/en/Terms-and-Conditions/Terms-e-Document.asax. Attention is document to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

台灣檢驗科技股份有限公司

No.38, Wu Chyuan 7th Rd., New Taipei Industrial Park, Wu Ku District, New Taipei City, 248020, Talwan/新北市五股區新北產業園區五權七路38號

Member of the SGS Group

t+ (888-2) 2299-3939 f+ (888-2) 2298 -1338 www.tw.ags.com



超微量工業安全實驗室

Ultra Trace and Industrial Safety Hygiene Laboratory

測試報告

報告編號: PUG22800542 日期: 2022年09月01日 頁數:2 of 3

迪摩凱斯國際股份有限公司

新竹市牛埔路229號

测試结果:

菌株名稱: 克雷白氏肺炎菌 (Klebsiella pneumoniae)

<u>處理方式</u>	<u>菌量數</u> (CFU/cm ²)	<u>Loq</u>	<u>抗菌值</u> <u>(R)</u>
A: 無加工試料平均初始活菌數	1.2 × 10 ⁴	4.07	
B: 無加工試料接種24小時培養後的平均活菌數	5.4 × 10 ^s	5.73	0.99
C: 加工試料經24小時培養後的平均活菌數	5.6 × 10 ⁴	4.75	

菌株名稱: 金黃色葡萄球菌 (Staphylococcus aureus)

<u>處理方式</u>	<u>菌量數</u> (CFU/cm ²)	<u>Log</u>	<u>抗菌值</u> <u>(R)</u>
A: 無加工試料平均初始活菌數	9.3 × 10 ³	3.97	
B: 無加工試料接種24小時培養後的平均活菌數	3.5 × 10 ⁴	4.54	1.03
C: 加工試料經24小時培養後的平均活菌數	3.2 × 10³	3.51	

備註:1.測試報告僅就委託者之委託事項提供測試結果,不對產品合法性做判斷。

- 2.本测試報告之所有檢驗內容,均依委託事項執行檢驗,如有不實,願意承擔完全責任。
- 本報告不得分離,分離使用無效。
- 4.抗菌值(R) = (Log B Log C)。
- 5.菌株編號:

克雷白氏肺炎菌 (Klebsiella pneumoniae), BCRC 16082 金黃色葡萄球菌 (Staphylococcus aureus), BCRC 10451 - END -



超微量工業安全實驗室

日期: 2022年09月01日

Ultra Trace and Industrial Safety Hygiene Laboratory

測試報告

報告編號: PUG22800542

迪摩凱斯國際股份有限公司

新竹市牛埔路229號

楼品照片

PUG22800542



PUG22800542



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

838 Talwan Ltd.
No.38, Wu Chyuan 7th Rd., New Taipel Industrial Park, Wu Ku District, New Taipel City, 248020, Talwan/ 新北市五股區新北產業園區五種七格38億

1+ (888-2) 2299-3939 F+ (888-2) 2298 -1338 頁數:3 of 3